

Message

---

**From:** Moore, Gary [Moore.Gary@epa.gov]  
**Sent:** 12/11/2018 3:04:00 AM  
**To:** 'Angela Harbin' [a.harbin@erllc.com]; Delgado, Paige [Delgado.Paige@epa.gov]  
**CC:** Don Edgington [d.edgington@erllc.com]  
**Subject:** RE: F6-308 DWO 12-10-118  
**Attachments:** 12.10.18 DWO No. 27 - F.J. Doyle Salvage Site - 12.10.18-signed.pdf

Don:

I signed off on this DWO.

1. Continue dewatering site (2 people);
2. Continue loading trucks for disposal (2 people);
3. Start backfilling with skidsteer the area behind FJD02, FJD03, and possibly FJD09 (if possible) (2 people)
4. Re-excavations at FJD08-04 and FJD08-01(to 24 inches/bedrock) - 2 people

I just can't have another day of 10 people charging for just disposal and dewatering. We should be able to do more than that although I know I may be pushing it.

Thanks  
Gary Moore

---

**From:** Angela Harbin <a.harbin@erllc.com>  
**Sent:** Monday, December 10, 2018 4:19 PM  
**To:** Moore, Gary <Moore.Gary@epa.gov>; Delgado, Paige <Delgado.Paige@epa.gov>  
**Cc:** Don Edgington [d.edgington@erllc.com](mailto:d.edgington@erllc.com)  
**Subject:** F6-308 DWO 12-10-118

Hello,

The DWO for 12/10/18 is attached for review.

Thanks,  
Angela Harbin  
Field Cost Accountant  
Environmental Restoration, LLC  
1666 Fabick Drive  
Fenton, MO 63026  
Cell: 850-247-9317  
Direct Fax: 636-680-2547  
[a.harbin@erllc.com](mailto:a.harbin@erllc.com)

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-

mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.